

Philadelphia, PA 19103-7301

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FIL	ING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/737,402	09/737,402 12/15/2000		Jonathan Pace	99-40264 US	8823
	590	06/29/2004		EXAM	INER
Louis M. Hei	delberge	r	•	MILLER, WILLIAM L	
Reed Smith Sh	aw & Mo	Clay			
2500 One Libe			ART UNIT	PAPER NUMBER	
1650 Market S	treet		3677		

DATE MAILED: 06/29/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
		09/737,402	PACE ET AL.				
	Office Action Summary	Examiner	Art Unit .				
		William L. Miller	3677				
	The MAILING DATE of this communicatio						
Period for Reply							
THE N - Exter after - If the - If NO - Failur Any r	ORTENED STATUTORY PERIOD FOR R MAILING DATE OF THIS COMMUNICATI usions of time may be available under the provisions of 37 C SIX (6) MONTHS from the mailing date of this communication period for reply specified above is less than thirty (30) days period for reply is specified above, the maximum statutory per to reply within the set or extended period for reply will, by peply received by the Office later than three months after the ded patent term adjustment. See 37 CFR 1.704(b).	ON. FR 1.136(a). In no event, however, may a on. a reply within the statutory minimum of the original will apply and will expire SIX (6) MC statute, cause the application to become a	a reply be timely filed irty (30) days will be considered timely. INTHS from the mailing date of this communication. ABANDONED (35 U.S.C. § 133).				
Status							
1)[Responsive to communication(s) filed on	15 December 2000.					
2a) <u></u> □	This action is FINAL . 2b)⊠ This action is non-final.						
•	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims						
5)□ 6)⊠ 7)□	 Claim(s) 1-4 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. Claim(s) is/are allowed. Claim(s) 1-4 is/are rejected. Claim(s) is/are objected to. 						
Applicati	on Papers						
 9) ☐ The specification is objected to by the Examiner. 10) ☐ The drawing(s) filed on 15 December 2000 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). 							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority u	ınder 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
Attachmen	t(s)						
1) Notice	e of References Cited (PTO-892)		Summary (PTO-413)				
3) Inform	te of Draftsperson's Patent Drawing Review (PTO-94 mation Disclosure Statement(s) (PTO-1449 or PTO/5 r No(s)/Mail Date		o(s)/Mail Date f Informal Patent Application (PTO-152)				

Application/Control Number: 09/737,402

Art Unit: 3677

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the ventilation port, screen, and tape must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the examiner does not accept the changes, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

2. The substitute specification filed 10-08-2003 has not been entered because it does not conform to 37 CFR 1.125(b) and (c) because: the substitute specification appears incomplete as it begins with the Brief Description of the Drawing, and the applicant failed to provide a marked-up copy of the original specification.

Application/Control Number: 09/737,402 Page 3

Art Unit: 3677

Claim Rejections - 35 USC § 112

3. Claims 1-4 are rejected under 35 U.S.C. 112, second paragraph, as being incomplete for omitting essential structural cooperative relationships of elements, such omission amounting to a gap between the necessary structural connections. See MPEP § 2172.01. Moreover, it is unclear how the screen structurally cooperates with the enclosure and/or ventilation port.

Allowable Subject Matter

- 4. Claims 1 and 4 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, second paragraph, set forth in this Office action.
- 5. Claims 2 and 3 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, second paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See PTO-892.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William L. Miller whose telephone number is 703 305 3978. The examiner can normally be reached on Tuesday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, J. J. Swann can be reached on 703 306 4115. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/737,402

Art Unit: 3677

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

William L. Miller Primary Examiner Art Unit 3677

WLM 06-23-2004